

## Referral Support Service

ENT

### ENT21

### Suspected Globus

#### Definition

Abnormal throat sensation that is worse with a dry swallow but does not interfere with swallowing food or liquid. Other sensations typically described: tickle, tightness, mucous.

Not a primary manifestation of sinus disease but can be caused by post nasal drip, which itself can be caused by silent reflux.

#### Exclude Red Flag Symptoms

- Constant hoarseness >3 weeks
- Risk factors > 50 year old, smoker, excess alcohol
- Neck lump > 3 weeks
- Recent onset dysphagia (difficulties swallowing)
- Odynophagia (painful swallowing)
- Regurgitation
- Unilateral pain in head or neck and/or otalgia but normal otoscopy
- Objective weight loss

#### Management

Examine the neck and throat for swellings or lymph glands.

Is there a cough?

Are symptoms intermittent?

Are symptoms related to night time or day time?

Consider non-ENT causes (stress, anxiety)

Advise on possible “lifestyle” factors (smoking, alcohol, caffeine, spicy foods, large meals, high BMI, habitual carbonated drinks but low clear fluid intake etc.).

Consider a trial of **Peptac® (+/- a PPI)** for up to eight weeks for intermittent symptoms, dry nonproductive cough, worse at night

#### Referral Information

##### Indications for referral

Responsible GP: Dr Tillmann Jacobi  
Responsible Consultant: Mr Frank Agada  
Responsible Pharmacist: Laura Angus

Clinical Research & Effectiveness approved: Aug 2017  
Date published: Aug 2017  
Next Review: Aug 2019

©NHS Vale of York Clinical Commissioning Group – Version 2

The on-line version is the only version that is maintained. Any printed copies should, therefore, be viewed as ‘uncontrolled’ and as such may not necessarily contain the latest updates and amendments.

Refer potential at-risk patients, if conservative primary care treatment has not helped, and/or highly worried patients, who can expect to have a nasal endoscopy etc. done in clinic. If nothing is found but the symptoms persist despite treatment, the patient may require a referral to gastroenterology for a gastroscopy.

### **Information to include in referral letter**

- Time line
- Fluctuation or continuum of symptoms
- Any abnormal findings at examination
- Possible emotional element
- Medical trial done so far and outcome
- Current smoking / alcohol intake / BMI
- Current regular medication

### **Investigations prior to referral**

None, unless chronic cough for > four weeks: CXR

### **Patient information leaflets/ PDAs**

<https://patient.info/health/globus-sensation-leaflet>

### **Reference / resource**

<http://www.learning.bmj.com/learning/module-intro/lump-throat.html?moduleId=10051991>