



Cardiology & Diagnostic Physiologic Measurement RSS pathways

Please refer to cardiology page on the RSS website for referral criteria information

If you require support prior to submission of referral please contact the RSS on 0300 303 0060 and request to be directed to a Team Leader or Manager

| Referral Pathway                      | Requirements  | Specialty                               | Clinic Type                            | Exclusions  |
|---------------------------------------|---|---|--|---|
| Rapid Access Chest Pain               | Complete the Gateway referral pathway questionnaire  Attach ECG – no more than 4 weeks old  Urgent only pathway   | Cardiology                              | Rapid Access Chest Pain                | Patients with coronary artery disease  Patients under cardiology follow-up at York Teaching Hospital  |
| Open Access Echo for Heart<br>Murmurs | i   | Diagnostic Physiological<br>Measurement | Cardiac Physiology -<br>Echocardiogram | Patients already under cardiology follow up in secondary care  Patients with symptoms of Heart Failure with a murmur or with Atrial Fibrillation should be referred through the Heart Failure pathway |
| Heart Failure                         | Complete Heart Failure referral pathway questionnaire on Gateway  Attach ECG and ensure that blood test results are included with values especially BNP | Cardiology                              | Heart Failure                          | Normal BNP Recent echocardiogram < 6/12 months Patient already under a cardiologist   |





**Integrated Care Board (ICB)** 

Author: Alex Couperthwaite - RSS Manager

|  |  | T =                                  |   | Care Board (ICB)   |
|--|--|--------------------------------------|---|--|
| Palpitations                           | Complete the palpitations referral pathway questionnaire on Gateway  A normal full blood count and thyroid function test MUST have been completed and results included in the referral.  A resting ECG must also be enclosed.                      | Diagnostic Physiological Measurement | Cardiac Physiology -<br>Echocardiogram      | High risk patients with symptoms below-refer urgently to cardiology service  -History of Syncope Exertional cardiac symptoms -Pre-existing cardiac disease; heart failure, valvular heart disease, congenital heart disease -Family History of Sudden Cardiac Death under the age of 65 years Evidence of structural heart disease -Resting ECG abnormality of excluding 1st degree heart block -Atrial Fibrillation - If Atrial fibrillation documented follow NICE guidance CG36 - Abnormal Full blood count - Abnormal Thyroid function test -Paediatrics- under 16 years of age, should be referred to a paediatrician |
| All other general cardiology referrals | Create and submit standard cardiology Gateway referral and clearly identify the reason for the referral  Please attach a recent ECG if possible and the results of other appropriate investigations for example 24hr BP  Any abnormal test results | Cardiology                           | Selection relevant clinic type to condition | Lipid clinic referrals should<br>be directed to lipid clinic via:<br>Endocrinology / Lipid<br>Disorders  |



