Medal Ranking - Adult Oral Nutrition

Medal rankings provide prescribers with a quick overview on cost-effective prescribing in areas where the formulary product choices have little therapeutic difference. Please routinely prescribe the agents offering greatest overall value to the health economy.

These guidelines are NOT suitable for patients with the following conditions:

- Chronic Kidney Disease Stage 4 and 5. Patients on dialysis. Some patients with CKD Stage 3 (particularly Stage 3b).
- Liver disease
- Dysphagia
- Cystic Fibrosis
- Patients who have previously had bariatric surgery
- Enterally (tube) fed patients

1st LINE FOR ALL PATIENTS IS <u>FOOD FIRST DIETARY ADVICE</u> to improve their nutritional status (i.e. high calorie diet and food fortification advice).

Click HERE for '6 steps to appropriate prescribing of adult ONS' guidance [Hyperlink]

Oral Nutritional Supplements (ONS) should ONLY be considered if patients meet at least one of the Advisory Committee on Borderline Substances (ACBS) prescribing indications (disease/disorder) (NPC, 2012) and food first measures have failed to improve patients' nutritional status.

Preferred ONS products: When patients discharge from hospital

People who are discharged from hospital on ONS with no on-going dietetic review process in place will not automatically require ONS on prescription once home. They may have required ONS whilst acutely unwell or recovering from surgery, but once home and eating normally the need is negated. Therefore, it is recommended that ONS are not prescribed following hospital discharge without explicit instructions on a dietetic discharge summary (within 48hrs) in line with these 6 step guidelines. When ONS are still required, a switch to first line community products is recommended unless otherwise justified on the dietetic discharge summary.

Products initiated in Secondary Care	Preferred community Products					
Fortisip Compact 125ml vanilla, strawberry, banana, mocha, apricot, forest fruit	1 st line Powdered milkshake	2 nd line Ready-made milkshake	3 rd line Juice style			
and chocolate Fortisip Bottle 200ml neutral, vanilla, chocolate, toffee, banana, orange, strawberry and tropical fruits Complan Shake	AYMES Shake (Mix with 125ml whole milk) 7 x 57g sachets of one flavour vanilla, banana, strawberry, chocolate and	Nutriplen 125ml vanilla, strawberry, hazel chocolate and banana OR AYMES Complete 200ml vanilla, strawberry,	Fresubin Jucy 200ml orange,			
7 x 57g sachets of one flavour vanilla, banana, strawberry, chocolate and neutral	neutral	chocolate, banana	apple, pineapple, cherry and blackcurrant			
Fortijuce 200ml orange, lemon, apple, strawberry, tropical, forest fruits and blackcurrant.		\				

NHS Vale of York CCG Author: CD



Summary of Preferred ONS products when initiating in primary care

[Green May be initiated and continued in primary, secondary and tertiary care.

1 st Line	Powdered	AYMES Shake (Mix with 125ml Whole Milk) 7 x 57g sachets of one flavour vanilla, banana, strawberry, chocolate and neutral	Gluten-free, contains lactose, Not suitable for patients with soya, lactose or cows' milk intolerance or galactosaemia, vegetarian	Samples
2 nd line	Ready- made	Nutriplen 125ml vanilla, strawberry, hazel chocolate and banana	Gluten-free, Lactose-free, Not suitable for patients with soya or cows' milk intolerance or galactosaemia	<u>Samples</u>
	milkshake style	AYMES Complete 200ml vanilla, strawberry, chocolate, banana	Gluten-free, Not suitable for patients with soya or cows' milk intolerance or galactosaemia	Samples
3 rd Line	Juice style	Fresubin Jucy 200ml orange, apple, pineapple, cherry and blackcurrant	Gluten-free, Lactose-free, Contains milk, Soya-free, Nut-free, Vegetarian. Not suitable for patients with cow's milk protein intolerance.	Samples

NHS Vale of York CCG Author: CD



1st LINE ONS POWDERED PRODUCTS – TO MIX WITH WHOLE MILK

Powdered products provide the most cost-effective and optimum nutritional content if a patient or carer

can prepare drinks (including people in care homes).

Choice	Calories (Kcal)	Protein (g)	Cost / 4 Weeks	Recommended dose	Other info	Approval
AYMES® Shake 7 x 57g sachets of one flavour vanilla, banana, strawberry, chocolate and neutral	388	15.7	£46.80 Free sample pack & Shaker	57g sachet b.d. Make with 200ml whole milk	Gluten-free. Contains lactose. Not suitable for patients with soya or cows' milk intolerance or for those with galactosaemia	
Ensure® Shake 7 x 57g sachets of one flavour vanilla, strawberry, banana and chocolate	389	17.0	£46.80	57g sachet b.d. Make with 200ml whole milk	Gluten-free. Contains lactose.	
Fresubin® Powder Extra 7 x 62g sachets of one flavour vanilla, strawberry, banana and chocolate	397	17.7	£48.00	62g sachet b.d. Make with 200ml whole milk	Gluten-free. Contains lactose.	
Complan® Shake 7 x 57g sachets of one flavour vanilla, banana, strawberry, chocolate and neutral	387	15.6	£51.00	57g sachet b.d. Make with 200ml whole milk	Gluten-free. Contains lactose. Not suitable for patients with galactosaemia or cow's milk intolerance	
Complan® Shake starter pack 5 x 57g sachets of mixed flavour & Shaker vanilla, banana, strawberry, chocolate and neutral	387	15.6	£57.60	57g sachet b.d. Make with 200ml whole milk	Gluten-free. Contains lactose.	

Use first line Use second line

- Powdered supplement may not be appropriate if:
 - 1. the patient or carer does not have the dexterity to prepare it (shaking or whisking with milk)
 - 2. the patient is lactose intolerant
 - 3. the patient has Chronic Kidney Disease (CKD). Consideration of the amount of fluid, electrolytes and protein provided by ONS is essential for CKD. Powdered shakes should not be the first line choice for CKD stages 4 and 5 unless advised by a renal dietitian.

NHS Vale of York CCG
Author: CD Date of production: July 2015 Next review: August 2016

- People with diabetes may require on-going review of diabetes control and medication whilst ONS are used.
- Powdered supplements are not nutritionally complete and therefore are not suitable as a sole source of nutrition. Patients who require ONS as a sole source of nutrition may already be under the care of a dietitian who will advise on an appropriate supplement regimen.
- Powdered products are not suitable for tube feeds as there are risks associated with this.
- Avoid prescribing starter packs after an initial trial since they are more costly to prescribe.
- Powdered products should be made with whole milk to maximise nutritional content.
- AYMES Shake can be made with 125ml whole milk if the patient struggles to take large volumes.

2nd LINE ONS

READY-MADE MILKSHAKE STYLE DRINKS (≥1.5kcal/ml)

To ONLY be considered if a powdered supplement is not appropriate as described above. A compact 125ml bottle (2.4kcal/ml) drink may be preferable for patients who may struggle to manage a 200ml bottle twice a day.

Choice	Calories (Kcal)	Protein (g)	Cost / 4 Weeks	Recommended dose	Other info	Approval
Nutriplen® vanilla, strawberry, hazel chocolate, banana	300	12	£87.00 Free sample pack	<u>125ml</u> b.d.	Gluten-free. Lactose-free	
AYMES® Complete vanilla, strawberry, chocolate, banana	300	12	£84.00 Free sample pack	200ml b.d.	Gluten-free. Not suitable for patients with intolerance to cows' milk or soya. Not suitable for patients with galactosaemia	
Fresubin® Energy vanilla, strawberry, chocolate, cappuccino, tropical fruit, blackcurrant, neutral, banana or lemon	300	11.2	£88.80 Free sample pack	200ml b.d.	Gluten-free ¹ . Residual lactose. Contains fish gelatin	
Fortisip® Compact vanilla, strawberry, banana, mocha, apricot, forest fruit and chocolate	300	12	£121.20	<u>125ml</u> b.d.	Gluten free. Residual lactose.	
Ensure® Compact vanilla, strawberry and banana	300	13	£121.20	<u>125ml</u> b.d.	Gluten free. Contains lactose	
Resource® Energy Apricot, chocolate, strawberry & raspberry, banana, coffee and vanilla	300	11.2	£115.20	200ml b.d.	Gluten free. Residual lactose.	
Ensure® Plus Milkshake style banana, chocolate,	300	14	£121.20	200ml b.d.	Gluten free. Residual lactose.	

NHS Vale of York CCG

Author: CD Date of production: July 2015 Next review: August 2016



coffee, fruits of the forest, neutral, orange, peach, raspberry, strawberry and vanilla.						
Fortisip® Bottle neutral, vanilla, chocolate, toffee, banana, orange, strawberry and tropical fruits.	300	12	£123.60	200ml b.d.	Gluten free. Residual lactose.	
Fresubin® Original 200ml	200	7.6	£127.20			*
Ensure® 250ml can	200	8	£135.60			





Not commissioned. Do not use

Avoid prescribing ≤1kcal/ml ONS (Fresubin Original/Ensure), which contain less nutritionally and are not as cost effective as ≥1.5kcal/ml products. Products ≤1kcal/ml could be met with food fortification (e.g. Whole milk with added skimmed milk powder is approximately 1kcal/ml).

NHS Vale of York CCG Author: CD

3rd LINE ONS JUICE STYLE DRINKS

Juice Style Supplements are an alternative for those who do not like milk, but are typically lower in protein than milk style ONS. Juice style supplements may not be suitable for patients with diabetes. They are not milk free and contain milk protein.

Choice	Calories (Kcal)	Protein (g)	Cost / 4 Weeks	Recommen ded dose	Other Info	Approval
Fresubin® Jucy orange, apple, pineapple, cherry and blackcurrant	300	8	£115.80 Free sample pack	200ml b.d.	Gluten-free. Lactose-free	
Fortijuce® lemon, apple, orange, strawberry, tropical, forest fruits and blackcurrant.	300	8	£121.20	200ml b.d.	Gluten-free. Lactose free	
Ensure® Plus Juce orange, apple, lemon and lime, strawberry, peach, fruit punch flavours	300	10.6	£118.20	220ml b.d.	Gluten-free. Residual lactose.	
Resource® fruit apple, orange, pear-cherry, raspberry-blackcurrant	254	8g	£110.40	200ml b.d.	Gluten-free. Residual lactose.	

Use first line Use second line Use third line

NHS Vale of York CCG
Author: CD Date of production: July 2015 Next review: August 2016

ONS WHICH SHOULD NOT ROUTINELY BE INITIATED WITHOUT DIETITIAN INPUT

These products are sometimes used either alone or in conjunction with other ONS where first line products are insufficient to meet individual patients' nutritional needs or for specialist conditions where dietitian management is recommended. For example:

- Specialist products, which may be required for some patient groups where dietetic involvement may be required (E.g. bowel disorders, renal disease)
- High protein milkshake style drinks, which are not first or second line products in primary care.
- Modular supplements (E.g. high-energy fat emulsions/carbohydrate powders), which do not provide a balance of nutrients.

Amber The following products are: suitable for a GP to continue, with appropriate supporting documents. No written shared care agreement necessary.

Product	Presentation	Calories (Kcal)	Protein (g)	Cost /4 weeks	Kcal per £				
Milkshake style high protein									
Fresubin 2kcal	200ml bottle	400	20	£51.90	231				
Resource 2.0 Fibre	200ml bottle	400	18	£54.00	222				
Resource Fibre 2.0	200ml bottle	400	18	£56.40	213				
Nutriplen protein	200ml bottle	300	20	£43.50	207				
Fresubin 2kcal Fibre	200ml bottle	400	20	£58.80	204				
Ensure Twocal	200ml bottle	400	17	£64.20	187				
Fortisip Extra	200ml bottle	320	20	£55.50	173				
Resource Protein	200ml bottle	250	19	£43.50	172				
Fresubin Protein Energy	200ml bottle	300	20	£54.60	165				
Fortisip Compact Protein	200ml bottle	300	18	£60.00	150				
Fortimel® Regular	200ml bottle	200	20	£54.60	110				
	Milkshake Style hig	jh fibre							
Ensure® Plus Fibre	200ml bottle	310	13	£60.60	153				
Fresubin® Energy Fibre	200ml bottle	300	11.2	£60.90	148				
Fortisip® Compact Fibre	125ml bottle	300	12	£62.70	144				
Fortisip® Multi Fibre	200ml bottle	300	12	£64.50	140				
	Savoury drinks	3							
Vitasavoury®200 (24 x 33g cups)	200ml (made with 200ml milk)	270	7	£38.40	211				
Ensure® Plus Savoury	220ml bottle	330	14	£51.90	191				
Fortisip® Savoury Multi Fibre	200ml cup	300	15	£60.30	149				
	Yoghurt style								
Ensure® Plus Yoghurt Style	220ml bottle	330	13.8	£60.60	163				
Fortisip® Yogurt style	200ml bottle	300	12	£60.60	149				
Fresubin® YoCreme	125g pot	188	9.4	£59.40	95				
	Powdered								
Enshake (6 x 96.5g)	310ml (made with 240ml milk)	600	16	£64.80	278				

NHS Vale of York CCG Author: CD



Colobaka (7 v 97a)	210ml (made with 240ml milk)	602	12	£70.80	255				
Calshake (7 x 87g)	310ml (made with 240ml milk)								
Skandishake Mix (6 x 85g)	310ml (made with 240ml milk)	587	12.4	£72.30	244				
Disease specific									
Modulen® IBD (400g)	400g tin (75g powder and 250ml water makes 1.5kcal/ml)	375	13.5	£84.60	133				
Nepro® HP	220ml bottle	396	17.8	£89.40	133				
Vital® 1.5kcal	200ml bottle	300	13.5	£89.40	101				
N	lodular (Fat emulsions and g	jlucose po	wders)						
Vitajoule (500g)	3 x 15g*	171	0	£11.40	450				
Polycal powder (400g)	3 x 15g*	171	0	£14.10	364				
Maxijul (200g)	3 x 15g*	171	0	£17.10	300				
Calogen® Extra Shots	3 x 40ml* shots	640	6	£86.10	223				
Calogen (200ml)	90mls*	405	0	£58.80	207				
Fresubin 5kcal Shot	90mls*	405	0	£62.10	196				
Pro-cal shot (250ml)	90mls*	300	6	£54.00	167				
Calogen Extra	90mls*	360	4.5	£67.20	161				
	Pre-Thickened STA	GE 1							
Nutilis® Complete Stage 1	125ml	306	12	£66.30	138				
Fresubin® Thickened stage 1	200ml	300	20	£68.40	132				
	Semi-solid STAGE	2							
Nutilis® Complete Stage 2	125ml	306	12	£66.30	138				
Fresubin® Thickened stage 2	200ml	300	20	£68.40	132				
	Semi-solid STAGE	3							
Nutricrem®	125g	225	12.5	£42	161				
Resource® Dessert Fruit	125g	200	6.25	£47.70	126				
Resource® Dessert Energy	125g	200	6	£47.70	126				
Fresubin® Crème	125g	231	12.5	£59.40	117				
Forticreme® Complete	125g	200	12	£58.80	102				
Ensure® Plus Crème	125g	171	7.1	£56.40	91				
Nutilis® Fruit Stage 3	150g	206	10.5	£70.80	85				

References

British Dietetic Association. National Descriptors for Texture Modification in Adults (2011). Joint working party of The British Dietetic Association and the Royal College of Speech and Language Therapists. Available from:

http://www.thenacc.co.uk/assets/downloads/170/Food%20Descriptors%20for%20Industry%20Final%20-%20USE.pdf [Accessed: 21/09/14].

NICE (2006) Nutrition Support in Adults: oral nutrition support, enteral tube feeding and parenteral nutrition, CG32. London, National Institute for Health and Clinical Excellence.

PresQIPP Nutrition Toolkit Version 2.0. Resources for the appropriate prescribing of Sip Feeds, Infant Feeds and Gluten Free products in the Midlands and East. Available from:

https://www.prescqipp.info/nutrition-toolkit/finish/189-nutrition-toolkit/527-prescqipp-nutrition-toolkit-low-res [Accessed: 21/09/14]

National Prescribing Centre (NPC) (2012) Prescribing of adult Oral Nutritional Supplements (ONS): Guiding principles for improving the systems and processes for ONS use. . Available from:

http://www.webarchive.org.uk/wayback/archive/20140627111700/http://www.npc.nhs.uk/quality/ONS/resources/borderline_substances_final.pdf [Accessed: 21/09/14].

NHS Vale of York CCG Author: CD



NUTRITION AND DIETETIC SERVICE CONTACT DETAILS

YorkScarborough, Whitby and RyedaleDepartment of Nutrition and DieteticsDepartment of Nutrition and Dietetics

The York Hospital
Wigginton Road
York
YO31 8HE

Scarborough Hospital
Woodlands Drive
Scarborough
YO12 6QL

Tel: 01904 725269 Tel: 01723 342415

NHS Vale of York CCG Author: CD